



# HARDWOOD PLYWOOD



**Termite, Borer and Waterproof Plywood**

# F

## UN FACT



It can also hold weights of up to 250kg on a single screw surface side.



Waterproof and boilproof testing.



# P LYWOOD APPLICATION

Following items are made with 100% hardwood plywood



Plywood Bed



Plywood Chair

# P

## LYWOOD APPLICATION



Plywood Jambframe



Plywood Stool





## WATERPROOF PLYWOOD TECHNICAL DETAILS

<b>Product Type</b>	<b>Waterproof plywood</b>
<b>Thickness Tolerance</b>	$\pm 0.5$ mm
<b>Available Dimension</b>	8'x4' / 1220mm x 2440mm
<b>Wood Specie</b>	Eucalyptus
<b>Thickness</b>	12 mm, 18 mm,
<b>Glue</b>	Water & Boil Proof (WBP) - 72 Hours
<b>Density</b>	850 kg/m <sup>3</sup>
<b>Bending Strength</b>	M.O.E 6101 N/mm <sup>2</sup>   M.O.R 55.52 N/mm <sup>2</sup>
<b>Internal Bonding (IB)</b>	1.68 N/mm <sup>2</sup>
<b>Screw Strength (Edge)</b>	2223 N
<b>Screw Strength (Face)</b>	2395 N
<b>End Uses</b>	Bathroom Vanities, Kitchen Cabinets, Boat Building, Outdoor Benches, Stools, Flooring etc.

